



# BestTruckTent: More than a Roof Top Tent, More than a Ground Tent

Toss 2 bags into your truck bed and go – an off-grid tent that is buoyant ready for fun or for floods!

Next-level recreation powered by military-grade experience



Floats!

**Enjoy the Best of Times!**

Camping on Ground, Truck, or Lake

Off-grid Office

Back-yard Guest Room, Studio...

**AND for prepare for the worst of times:**

Pop-up Shelter

Temporary Housing

Disaster Preparedness

Communications Station...

The solutions unfold...



# SETUP INSTRUCTIONS



Throw two bags in your truck



In the first bag is the floor of the tent, and either a manual or electric air pump.



Connect the hose and inflate to 10 PSI.

[Watch the videos on the next slide.](#)

CONNECT INFLATOR




ADJUST PSI





Spread the tent over the floor



If using the electric pump, connect it to your car (or external) battery.

You'll find the inflation valve under a fabric flap.

**As a first step you'll inflate the air beam frame to around 2 PSI.**

[Watch the videos on the next slide](#)

## CONNECT INFLATOR



## ADJUST PSI







Optional: Adjust the air beams.




Step inside and **adjust the straps** around the beams, distributing the fabric evenly, then **continue inflation to 4 PSI**



At 4 PSI the beam will feel quite sturdy.  
Remove the hose, secure the valve cover, and close the fabric flap.



Roll window covering under until taut, secure with clips on the fabric ties.



Do the same with the mesh screen



Once fully inflated and window shades adjusted, lift the unit onto the inflated floor, and secure with the Velcro strips



Note the waterproof liner

Packing Up





To deflate reconnect the inflater, set on deflate.



As the deflation progresses **push on the middle of each of the 4 corner beams**



**Push the fabric into the cavities** on each side, forming a rectangular box shape.



Deflate until the unit no longer collapses.  
[Watch the videos on the next two slides](#)







Push the unit into the bag and zip.